



ACOUSTICS

CATALOG

Professional Sound Systems

m&k^R

ACOUSTIC

MODEL ; **M-pro 106 CX**

- Two Way Coaxial Cabinet
- 500 Watt Peak
- 90-18000 Hz Linear Frequency Responses
- 2500 Hz Crossover Frequency
- 116 dB Spl



6,5" Mid-bass Woofer
25 Voice Coil



COAXIAL



1.75" Compression Driver



- Height:
- Width:
- Depth:
- Weight:


PASSIVE

m&k^R

ACOUSTIC

MODEL ; **M-pro 108 CX**

- Two Way Coaxial Cabinet
- 700 Watt Peak
- 70-18000 Hz Linear Frequency Responses
- 2500 Hz Crossover Frequency
- 125 dB Spl



8" Mid-bass Woofer
2.5 Voice Coil



COAXIAL



1.75" Compression Driver



- Height: 25 cm
- Width: 35 cm
- Depth: 21 cm
- Weight: 11 kg

PASSIVE

m&k^R

ACOUSTIC

MODEL ; **M-pro 108**

- Two Way Cabinet
- 700 Watt Peak
- 65-18000 Hz Linear Frequency Responses
- 2000 Hz Crossover Frequency
- 127 dB Spl



8" Mid-bass Woofer
25 Wire Coil



COAXIAL



1.75" Compression Driver



- Height: 47 cm
- Width: 26 cm
- Depth: 34 cm
- Weight: 15 kg



INPUT
+ PIN+1
- PIN-1

PASSIVE

AS MK FAMILY; ALL INTERIOR COMPONENTS AND EXTERIOR CASE: DESIGNED BY OUR ENGINEERS AND MANUFACTURED BY OURSELF AT OUR MK SPEAKER FACTORY IN TURKEY.

m&k^R

ACOUSTIC

MODEL ; **M-pro 112**

- Two Way Cabinet
- 1900 Watt Peak
- 50-18000 Hz Linear Frequency Responses
- 1800 Hz Crossover Frequency
- 136 dB SPL



12" Woofer
3 Voice Coil



1.75" Compression Driver



- Height: 62 cm
- Width: 35 cm
- Depth: 45 cm
- Weight: 28 kg



INPUT
+ PIN+1
- PIN-1



AS MK FAMILY; ALL INTERIOR COMPONENTS AND EXTERIOR CASE: DESIGNED BY OUR ENGINEERS AND MANUFACTURED BY OURSELF AT OUR MK SPEAKER FACTORY IN TURKEY.

m&k^R

ACOUSTIC

MODEL ; **M-pro 112-Lineararray**

- Two Way Linearray Cabinet
- 1900 Watt Peak
- 60-20000 Hz Linear Frequency Responses
- 1200 Hz Crossover Frequency
- 137 dB SPL



12" Woofer
3 Voice Coil



1.75" Compression Driver



- Height: 33 cm
- Width: 68 cm
- Depth: 51 cm
- Weight: 35 kg



INPUT
+ PIN+1
- PIN-1



m&k^R

ACOUSTIC

MODEL ; **M-pro 115**

- Two Way Cabinet
- 1900 Watt Peak
- 50-18000 Hz Linear Frequency Responses
- 1500 Hz Crossover Frequency
- 137 dB SPL



15" Woofer
3 Voice Coil



1.75" Compression Driver



- Height: 71 cm
- Width: 46 cm
- Depth: 53 cm
- Weight: 34 kg



INPUT
+ PIN+1
- PIN-1



AS MK FAMILY; ALL INTERIOR COMPONENTS AND EXTERIOR CASE: DESIGNED BY OUR ENGINEERS AND MANUFACTURED BY OURSELF AT OUR MK SPEAKER FACTORY IN TURKEY.

m&k^R

ACOUSTIC

MODEL ; **M-pro 118**

- One Way Cabinet
- 2400 Watt Peak
- 35-140 Hz Linear Frequency Responses
- 136 dB SPL



18" Subwoofer
4" Voice Coil



- Height: 66 cm
- Width: 55 cm
- Depth: 64 cm
- Weight: 48 kg



INPUT
+ PIN+1
- PIN-1



m&k^R

ACOUSTIC

MODEL ; **M-pro 212**

- Two Way Cabinet
- Dual woofers
- 2600 Watt Peak
- 50-18000 Hz Linear Frequency Response
- 1500 Hz Crossover Frequency
- 138 dB SPL
- Wide 100° x 60° Constant Directivity
- Polyurea Coated Wooden Cabin



12" Woofer - 3 Voice Coil



1.75" Compression Driver



- Height: 95 cm
- Width: 35 cm
- Depth: 45 cm
- Weight: 40 kg



INPUT
+ PIN+1
- PIN-1



AS MK FAMILY; ALL INTERIOR COMPONENTS AND EXTERIOR CASE: DESIGNED BY OUR ENGINEERS AND MANUFACTURED BY OURSELF AT OUR MK SPEAKER FACTORY IN TURKEY.

m&k^R

ACOUSTIC

MODEL ; **M-pro 215**

- Two Way Cabinet
- Dual woofers
- 2600 Watt Peak
- 45-18000 Hz Linear Frequency Response
- 1500 Hz Crossover Frequency
- 140 dB SPL
- Wide 100° x 60° Constant Directivity
- Polyurea Coated Wooden Cabin



15" Woofer - 3 Voice Coil



1.75" Compression Driver



- Height: 111 cm
- Width: 46 cm
- Depth: 53 cm
- Weight: 45 kg



INPUT
+ PIN+1
- PIN-1



AS MK FAMILY; ALL INTERIOR COMPONENTS AND EXTERIOR CASE: DESIGNED BY OUR ENGINEERS AND MANUFACTURED BY OURSELF AT OUR MK SPEAKER FACTORY IN TURKEY.

m&k^R

ACOUSTIC

MODEL ; **M-pro 218**

- One Way Cabinet
- Dual Subwoofers
- 4800 Watt Peak
- 35-120 Hz Linear Frequency Responses
- 142 dB SPL



Dual Subwoofers
18" Subwoofer - 4" Voice Coil



- Height: 55 cm
- Width: 128 cm
- Depth: 66 cm
- Weight: 92 kg



INPUT
+ PIN+1
- PIN-1



AS MK FAMILY; ALL INTERIOR COMPONENTS AND EXTERIOR CASE: DESIGNED BY OUR ENGINEERS AND MANUFACTURED BY OURSELF AT OUR MK SPEAKER FACTORY IN TURKEY.

m&k^R

ACOUSTIC

MODEL ; **M-pro 112-A**

- Two Way Active Cabinet
- 1800 Watt Peak
- 45-18000 Hz Linear Frequency Responses
- 1300 Hz Crossover Frequency
- 136 dB SPL
- Class-D Bi-Amplification
- Wide 100° x 60° Constant Directivity



12" Woofer
3 Voice Coil



1.75" Compression Driver



- Height: 62 cm
- Width: 35 cm
- Depth: 45 cm
- Weight: 28 kg



- High Level dsp Module
- Two Way Limiter
- Mic and Line Options
- Input XLR



AS MK FAMILY; ALL INTERIOR COMPONENTS AND EXTERIOR CASE: DESIGNED BY OUR ENGINEERS AND MANUFACTURED BY OURSELF AT OUR MK SPEAKER FACTORY IN TURKEY.

m&k^R

ACOUSTIC

MODEL ; **M-pro 112-Lineararray**

- Two Way Linearray Cabinet
- 1800 Watt Peak
- 60-20000 Hz Linear Frequency Responses
- 900 Hz Crossover Frequency
- 137 dB SPL
- Wide 90° Constant Directivity
- Class-D Bi-Amplification
- Polyurea Coated Wooden Cabin



12" Woofer
3 Voice Coil



2.5" Compression Driver



- Height: 33 cm
- Width: 68 cm
- Depth: 51 cm
- Weight: 35 kg



- High Level dsp Module
- Two Way Limiter
- Mic and Line Options
- Input XLR



m&k^R

ACOUSTIC

MODEL ; **M-pro 112-MA**

- Two Way Linearray Cabinet
- 1800 Watt Peak
- 50-18000 Hz Linear Frequency Responses
- 800 Hz Crossover Frequency
- 136 dB SPL
- Class-D Bi-Amplification
- Wide 100° x 60° Constant Directivity



12" Woofer
3 Voice Coil



1.75" Compression Driver



- Height: 48 cm
- Width: 59 cm
- Depth: 36 cm
- Weight: 28 kg



- High Level dsp Module
- Two Way Limiter
- Mic and Line Options
- Input XLR



m&k^R

ACOUSTIC

MODEL ; **M-pro 115-A**

- Two Way Cabinet
- 1800 Watt Peak
- 40-18000 Hz Linear Frequency Responses
- 1200 Hz Crossover Frequency
- 137 dB SPL
- Class-D Bi-Amplification
- Wide 100° x 60° Constant Directivity
- Polyurea Coated Wooden Cabin



15" Woofer - 3 Voice Coil



1.75" Compression Driver



- Height: 71 cm
- Width: 46 cm
- Depth: 53 cm
- Weight: 34 kg



- High Level dsp Module
- Two Way Limiter
- Mic and Line Options
- Input XLR



AS MK FAMILY; ALL INTERIOR COMPONENTS AND EXTERIOR CASE: DESIGNED BY OUR ENGINEERS AND MANUFACTURED BY OURSELF AT OUR MK SPEAKER FACTORY IN TURKEY.

m&k^R

ACOUSTIC

MODEL ; **M-pro 118-A**

- One Way Cabinet
- 1400 Watt Peak
- 35-120 Hz Linear Frequency Responses
- 136 dB SPL



18" Subwoofer
4" Voice Coil



- Height: 66 cm
- Width: 55 cm
- Depth: 64 cm
- Weight: 48 kg



- High Level dsp Module
- One Way Limiter
- Input XLR



m&k^R

ACOUSTIC

MODEL ; **M-pro 212-A**

- Two Way Cabinet
- Dual woofers
- 2200 Watt Peak
- 40-18000 Hz Linear Frequency Response
- 1300 Hz Crossover Frequency
- 140 dB SPL
- Class-D Bi-Amplification
- Wide 100° x 60° Constant Directivity
- Polyurea Coated Wooden Cabin



12" Woofer - 3 Voice Coil



1.75" Compression Driver



- Height: 95 cm
- Width: 35 cm
- Depth: 45 cm
- Weight: 40 kg



- High Level dsp Module
- Two Way Limiter
- Mic and Line Options
- Input XLR



AS MK FAMILY; ALL INTERIOR COMPONENTS AND EXTERIOR CASE: DESIGNED BY OUR ENGINEERS AND MANUFACTURED BY OURSELF AT OUR MK SPEAKER FACTORY IN TURKEY.

m&k^R

ACOUSTIC

MODEL ; **M-pro 215-A**

- Two Way Cabinet
- Dual woofers
- 2200 Watt Peak
- 40-18000 Hz Linear Frequency Response
- 1200 Hz Crossover Frequency
- 141 dB SPL
- Class-D Bi-Amplification
- Wide 100° x 60° Constant Directivity
- Polyurea Coated Wooden Cabin



15" Woofer - 3 Voice Coil



1.75" Compression Driver



- Height: 111 cm
- Width: 46 cm
- Depth: 53 cm
- Weight: 45 kg



- High Level dsp Module
- Two Way Limiter
- Mic and Line Options
- Input XLR



AS MK FAMILY; ALL INTERIOR COMPONENTS AND EXTERIOR CASE: DESIGNED BY OUR ENGINEERS AND MANUFACTURED BY OURSELF AT OUR MK SPEAKER FACTORY IN TURKEY.

m&k^R

ACOUSTIC

MODEL ; **M-pro 218-A**

- One Way Cabinet
- Dual Subwoofers
- 3000 Watt Peak
- 35-120 Hz Linear Frequency Responses
- 143 dB SPL



Dual Subwoofers
18" Subwoofer - 4" Voice Coil



- Height: 55 cm
- Width: 128 cm
- Depth: 66 cm
- Weight: 92 kg



- High Level dsp Module
- One Way Limiter
- Input XLR



Company Profile

Our MK Speaker and Acoustics company was established in 2005 in AKSARAY, Turkey. Then, in 2017, mass production was started in a new factory in the organized industrial zone. We are experts in the professional field with seventeen years of experience.

Along with speaker design and production, acoustic cabinet design and production is carried out.

Our Mission: to meet customers' needs, organizational and production flexibility,

To establish a continuous target for research and innovation.

We are constantly pushing ourselves to achieve this difficult goal.

MK Loudspeaker has a full range of professional transducers and acoustic cabinets for the most critical professionals.

people. Every driver and cabinet designs are designed in MK Speaker.

Every electro-acoustic and

mechanical performance is simulated and then

carefully designed by a team of engineers with many years of experience in design.

power speakers and acoustic cabinets are produced.

after prototype end, by measuring the frequency response with the Thiele-Small parameter advanced measuring devices

It is tested in a quiet and anechoic chamber.

As we mentioned above, our company

growth is the result of an ongoing commitment to achieve full customer understanding.

Requirements: Design, manufacturing, and product quality control systems are all proactively designed

For Customer Satisfaction.

The mission of the company; To ensure that the five basic features of MK Speaker products are met: Innovation,

Technology, Quality, Service and Competitiveness.

As the MK Speaker Team, we are proud to contribute.



Professional Sound Systems

WWW.MKSPEAKERS.COM.TR

info@mkspeakers.com.tr





CATALOG



www.mkspeakers.com.tr

Professional Sound Systems

MK HOPARLÖR ELEKTRONİK
ORG.İNŞ.SAN.VE TİC.LTD.ŞTİ.

ERENLER OSB MAH.ATATÜRK BULVARI
NO: 21/1 TASPINAR / AKSARAY /TÜRKİYE



info@mkspeakers.com.tr

Türkiye